

VS-FX 20" Specification 3 Piece / Full Reverse

SIZE	Standard Disk (A-Disk)								Deep Rim (O-Disk)								Big Caliper (R-Disk)								Big Caliper (T-Disk)							
	Standard PCD: 5-114.3								Standard PCD: 5-114.3								Standard PCD: 5-114.3								Standard PCD: 5-114.3							
	Outer Rim Depth (mm)								Outer Rim Depth (mm)								Outer Rim Depth (mm)								Outer Rim Depth (mm)							
	34	47	60	72	85	98	110	123	34	47	60	72	85	98	110	123	34	47	60	72	85	98	110	123	34	47	60	72	85	98	110	123
20 X 7.5JJ	+44	+31	+19	+6				+51	+38	+26	+13					+30	+17	+5	-8					+24	+11	-1	-14					
20 X 8.0JJ	+50	+38	+25	+12	+0			+57	+45	+32	+19	+7				+36	+24	+11	-2	-14				+30	+18	+5	-8	-20				
20 X 8.5JJ	+57	+44	+31	+19	+6	-7		+64	+51	+38	+26	+13	+0			+43	+30	+17	+5	-8	-21			+37	+24	+11	-1	-14	-27			
20 X 9.0JJ	+63	+50	+38	+25	+12	+0	-13	+70	+57	+45	+32	+19	+7	-6		+49	+36	+24	+11	-2	-14	-27		+43	+30	+18	+5	-8	-20	-33		
20 X 9.5JJ	+69	+57	+44	+31	+19	+6	-7	-19	+76	+64	+51	+38	+26	+13	+0	-12	+55	+43	+30	+17	+5	-8	-21	-33	+49	+37	+24	+11	-1	-14	-27	-39
20 X 10.0JJ	+76	+63	+50	+38	+25	+12	+0	-13	+83	+70	+57	+45	+32	+19	+7	-6	+62	+49	+36	+24	+11	-2	-14	-27	+56	+43	+30	+18	+5	-8	-20	-33
20 X 10.5JJ	+82	+69	+57	+44	+31	+19	+6	-7	+89	+76	+64	+51	+38	+26	+13	+0	+68	+55	+43	+30	+17	+5	-8	-21	+62	+49	+37	+24	+11	-1	-14	-27
20 X 11.0JJ	+88	+76	+63	+50	+38	+25	+12	+0	+95	+83	+70	+57	+45	+32	+19	+7	+74	+62	+49	+36	+24	+11	-2	-14	+68	+56	+43	+30	+18	+5	-8	-20
20 X 11.5JJ		+82	+69	+57	+44	+31	+19	+6		+89	+76	+64	+51	+38	+26	+13		+68	+55	+43	+30	+17	+5	-8		+62	+49	+37	+24	+11	-1	-14
20 X 12.0JJ			+76	+63	+50	+38	+25	+12			+83	+70	+57	+45	+32	+19			+62	+49	+36	+24	+11	-2			+56	+43	+30	+18	+5	-8
20 X 12.5JJ				+69	+57	+44	+31	+19				+76	+64	+51	+38	+26				+55	+43	+30	+17	+5				+49	+37	+24	+11	-1
20 X 13.0JJ					+63	+50	+38	+25					+70	+57	+45	+32					+49	+36	+24	+11					+43	+30	+18	+5
20 X 13.5JJ						+57	+44	+31						+64	+51	+38						+43	+30	+17						+37	+24	+11
Custom PCD	5H-98 ~ 130																5H-98 ~ 120.65															

VS-FX 20" Specification 3 Piece / Full Reverse - Porsche Application

SIZE	Standard Disk (A-Disk)								Deep Rim (O-Disk)								Big Caliper (L-Disk)														
	5-130								5-130								5-130														
	Outer Rim Depth (mm)								Outer Rim Depth (mm)								Outer Rim Depth (mm)														
	34	47	60	72	85	98	110	123	34	47	60	72	85	98	110	123	34	47	60	72	85	98	110	123							
20 X 7.5JJ	+44	+31	+19	+6				+51	+38	+26	+13					+38	+25	+13	+0												
20 X 8.0JJ	+50	+38	+25	+12	+0			+57	+45	+32	+19	+7				+44	+32	+19	+6	-6											
20 X 8.5JJ	+57	+44	+31	+19	+6	-7		+64	+51	+38	+26	+13	+0			+51	+38	+25	+13	+0	-13										
20 X 9.0JJ	+63	+50	+38	+25	+12	+0	-13	+70	+57	+45	+32	+19	+7	-6		+57	+44	+32	+19	+6	-6	-19									
20 X 9.5JJ	+69	+57	+44	+31	+19	+6	-7	-19	+76	+64	+51	+38	+26	+13	+0	-12	+63	+51	+38	+25	+13	+0	-13	-25							
20 X 10.0JJ	+76	+63	+50	+38	+25	+12	+0	-13	+83	+70	+57	+45	+32	+19	+7	-6	+70	+57	+44	+32	+19	+6	-6	-19							
20 X 10.5JJ	+82	+69	+57	+44	+31	+19	+6	-7	+89	+76	+64	+51	+38	+26	+13	+0	+76	+63	+51	+38	+25	+13	+0	-13							
20 X 11.0JJ	+88	+76	+63	+50	+38	+25	+12	+0	+95	+83	+70	+57	+45	+32	+19	+7	+82	+70	+57	+44	+32	+19	+6	-6							
20 X 11.5JJ		+82	+69	+57	+44	+31	+19	+6		+89	+76	+64	+51	+38	+26	+13		+76	+63	+51	+38	+25	+13	+0							
20 X 12.0JJ			+76	+63	+50	+38	+25	+12			+83	+70	+57	+45	+32	+19			+70	+57	+44	+32	+19	+6							
20 X 12.5JJ				+69	+57	+44	+31	+19				+76	+64	+51	+38	+26				+63	+51	+38	+25	+13							
20 X 13.0JJ					+63	+50	+38	+25					+70	+57	+45	+32					+57	+44	+32	+19							
20 X 13.5JJ						+57	+44	+31						+64	+51	+38						+51	+38	+25							

VS-FX 19" Specification 3 Piece / Full Reverse

SIZE	Standard Disk (A-Disk)								Deep Rim (O-Disk)								Big Caliper (R-Disk)							
	5-114.3								5-114.3								5-114.3							
	Outer Rim Depth(mm)								Outer Rim Depth(mm)								Outer Rim Depth(mm)							
	34	47	60	72	85	98	110	123	34	47	60	72	85	98	110	123	34	47	60	72	85	98	110	123
19×7.5JJ	+44	+31	+19	+6				+54	+41	+29	+16					+24	+11	-1	-14					
19×8.0JJ	+50	+38	+25	+12	+0			+60	+48	+35	+22	+10				+30	+18	+5	-8	-20				
19×8.5JJ	+57	+44	+31	+19	+6	-7		+67	+54	+41	+29	+16	+3			+37	+24	+11	-1	-14	-27			
19×9.0JJ	+63	+50	+38	+25	+12	+0	-13	+73	+60	+48	+35	+22	+10	-3		+43	+30	+18	+5	-8	-20	-33		
19×9.5JJ	+69	+57	+44	+31	+19	+6	-7	+79	+67	+54	+41	+29	+16	+3	-9	+49	+37	+24	+11	-1	-14	-27	-39	
19×10.0JJ	+76	+63	+50	+38	+25	+12	+0	+86	+73	+60	+48	+35	+22	+10	-3	+56	+43	+30	+18	+5	-8	-20	-33	
19×10.5JJ	+82	+69	+57	+44	+31	+19	+6	+92	+79	+67	+54	+41	+29	+16	+3	+62	+49	+37	+24	+11	-1	-14	-27	
19×11.0JJ		+76	+63	+50	+38	+25	+12	+0	+86	+73	+60	+48	+35	+22	+10		+56	+43	+30	+18	+5	-8	-20	
19×11.5JJ			+69	+57	+44	+31	+19	+6		+79	+67	+54	+41	+29	+16		+49	+37	+24	+11	-1	-14		
19×12.0JJ				+63	+50	+38	+25	+12			+73	+60	+48	+35	+22				+43	+30	+18	+5	-8	
19×12.5JJ					+57	+44	+31	+19				+67	+54	+41	+29					+37	+24	+11	-1	
CUSTOM PCD	5H-98~130								5H-98~130								5H-98~120.65							

VS-FX 19" Specification 3 Piece / Full Reverse - Porsche Application

SIZE	Standard Disk (A-Disk)								Deep Rim (O-Disk)								Big Caliper (R-Disk)							
	5-130								5-130								5-130							
	Outer Rim Depth(mm)								Outer Rim Depth(mm)								RIM DEPTH(mm)							
	34	47	60	72	85	98	110	123	34	47	60	72	85	98	110	123	34	47	60	72	85	98	110	123
19×7.5JJ	+44	+31	+19	+6				+54	+41	+29	+16					+38	+25	+13	+0					
19×8.0JJ	+50	+38	+25	+12	+0			+60	+48	+35	+22	+10				+44	+32	+19	+6	-6				
19×8.5JJ	+57	+44	+31	+19	+6	-7		+67	+54	+41	+29	+16	+3			+51	+38	+25	+13	+0	-13			
19×9.0JJ	+63	+50	+38	+25	+12	+0	-13	+73	+60	+48	+35	+22	+10	-3		+57	+44	+32	+19	+6	-6	-19		
19×9.5JJ	+69	+57	+44	+31	+19	+6	-7	+79	+67	+54	+41	+29	+16	+3	-9	+63	+51	+38	+25	+13	+0	-13	-25	
19×10.0JJ	+76	+63	+50	+38	+25	+12	+0	+86	+73	+60	+48	+35	+22	+10	-3	+70	+57	+44	+32	+19	+6	-6	-19	
19×10.5JJ	+82	+69	+57	+44	+31	+19	+6	+92	+79	+67	+54	+41	+29	+16	+3	+76	+63	+51	+38	+25	+13	+0	-13	
19×11.0JJ		+76	+63	+50	+38	+25	+12	+0	+86	+73	+60	+48	+35	+22	+10		+70	+57	+44	+32	+19	+6	-6	
19×11.5JJ			+69	+57	+44	+31	+19	+6		+79	+67	+54	+41	+29	+16		+63	+51	+38	+25	+13	+0		
19×12.0JJ				+63	+50	+38	+25	+12			+73	+60	+48	+35	+22				+57	+44	+32	+19	+6	
19×12.5JJ					+57	+44	+31	+19				+67	+54	+41	+29					+51	+38	+25	+13	

